





# SP-880M SERIES

**Plate Materials:**

- LFA** - Lubricating Acetal | **ROSELLA GREEN**
- TLX** - PTFE Filled Acetal | **ULTRAMARINE BLUE**
- SK2** - Kevlar Filled Acetal | **ARMY GREEN**

**Pin Material:** Austenitic Steel

**Shipping Lengths:** 10 Feet / 3.048 Metres





PRODUCT CODE	WIDTH (W)		RADIUS (R)	BACK FLEX RADIUS (BR)	PITCH (P)	M	V	H	E	T	D
	(mm)	(Inches)									
SP-880MK325	82.5	3.25	500	50	38.1	42.1	11	15	7.1	4	45
SP-880MK450	114.3	4.5	610								



# SP-880M SERIES SPROCKET



Materials: POLYAMIDE



PRODUCT CODE	TEETH (Z)	C	H	P	M	BORE (B)	WIDTH (W)	MACHINED	MACHINED SPLIT	MOULDED SPLIT
		(mm)	(mm)	(mm)	(mm)					
SP-880T9	9	110	111.4	59.3	76	25, 30 & 35 AVAILABLE	42.5 FOR MACHINED SPROCKETS	■	■	
SP-880T10	10	122	123.3	65.25	88			■	■	■
SP-880T11	11	135	135.2	71.2	92		■	■		
SP-880T12	12	147.3	147.2	77.2	105		■	■	■	


# SP-880M SERIES IDLER

Materials: POLYAMIDE




PRODUCT CODE	TEETH (Z)	C	P	BORE (B)	MACHINED	MACHINED SPLIT
		(mm)	(mm)			
SP-880MIT9	9	117	62.6	20, 25, 30 & 35 AVAILABLE	■	
SP-880MIT10	10	129.8	68.6		■	■
SP-880MIT11	11	142.2	74.6		■	■
SP-880MIT12	12	154.7	80.5		■	

# SP-880M SERIES ACCESSORIES






Chain Positioning for Single Row



Chain Positioning for Multiple Row

CHAIN CODE	A	B	C	D
	(mm)	(mm)	(mm)	(mm)
SP-880MK325	82.5	42.1	44	2.5
SP-880MK450	114.3			



PRODUCT CODE	TRACKS	PITCH (P)	RADIUS (R1)	E	WIDTH (W)	B1	T1
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
SP-880MK325C1	1	85	500, 610, 650, 800 & 1000 AVAILABLE	50 & 100 AVAILABLE	100	27	55
SP-880MK325C2	2				185		63
SP-880MK325C3	3				270		
SP-880MK325C4	4				355		
SP-880MK325C5	5				440		
SP-880MK325C6	6				525		

PRODUCT CODE	TRACKS	PITCH (P)	RADIUS (R1)	E	WIDTH (W)	B1	T1
		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
SP-880MK450C1	1	120	500, 610, 650, 800 & 1000 AVAILABLE	50 & 100 AVAILABLE	129	27	63
SP-880MK450C2	2				249		
SP-880MK450C3	3				369		
SP-880MK450C4	4				489		